

SICOM™ DMC FLOATING DISC SPECIFICATION / FORM

Date filled out _____



Harwood Performance Source Ltd
Derwent House • New Street • Alfreton
Derbyshire • DE55 7BP • United Kingdom

Tel: 01773 831122
Web: www.bikehps.com
Email: info@bikehps.com

Name _____

Company _____
(if applicable)

Address _____

Postcode/ZIP _____ Country _____

Mobile _____ Phone _____

Email _____

Internal Use

Mail Order Ref. _____ PO Ref. _____


Disc: HPS Part No. _____ SICOM Part No. _____

Pads: HPS Part No. _____ SICOM Part No. _____


Make _____ Model/Name _____ Year of Manufacture _____

Or describe if special bike _____

ABS Y/N? _____ Notes _____



DMC rotor thickness is ordinarily 6mm



Example image
Detail of carrier and
number of bobbins may vary

11 Some discs have BOLT HEAD RECESSES,
if required, please state here:
Depth _____ & Diameter _____

1	Total disc outer diameter	
2	Swept area/pad track width (measure to allow clearance between disc bobbins, pad backing plate and/or caliper body)	
3	Total disc height (inc. 6mm rotor thickness)	
4	Offset (to rotor centre line)	
5	Dish (mounting face to rear rotor face)	
6	Number of mounting holes	
7	Diameter/size of mounting holes	
8	Centre bore/hole diameter	
9	Pitch Circle Diameter/PCD of mounting holes	
10	Outer Diameter of Rear Mounting Face	

Disc Handing	Quantity Required
Right side (RH)	
Left side (LH)	

Please enter measurements in millimetres.